

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE01-A

Date Collected: 01/04/17 08:55

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-111

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4440		20.0	1.6	ug/L		01/08/17 21:45	01/12/17 13:31	10

Client Sample ID: PbEVE01-B

Date Collected: 01/04/17 08:56

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-112

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	28.5		2.0	0.16	ug/L			01/07/17 21:10	1

TestAmerica Edison

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE02-A

Date Collected: 01/04/17 10:29

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-113

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	27.1		2.0	0.16	ug/L		01/08/17 21:45	01/12/17 13:37	1

Client Sample ID: PbEVE02-B

Date Collected: 01/04/17 10:30

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-114

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.2		2.0	0.16	ug/L		01/08/17 21:45	01/10/17 04:11	1

Client Sample ID: PbEVE03-A

Date Collected: 01/04/17 10:31

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-115

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	11.5		2.0	0.16	ug/L			01/07/17 21:34	1

Client Sample ID: PbEVE03-B

Date Collected: 01/04/17 10:32

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-116

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.4		2.0	0.16	ug/L			01/07/17 21:30	1

Client Sample ID: PbEVE04-A

Date Collected: 01/04/17 10:33

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-117

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	6.2		2.0	0.16	ug/L		01/08/17 21:45	01/10/17 04:14	1

Client Sample ID: PbEVE04-B

Date Collected: 01/04/17 10:33

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-118

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.5		2.0	0.16	ug/L			01/07/17 21:36	1

Client Sample ID: PbEVE05-A

Date Collected: 01/04/17 10:34

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-119

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.5		2.0	0.16	ug/L			01/07/17 21:41	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE05-B

Date Collected: 01/04/17 10:35

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-120

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.6		2.0	0.16	ug/L	—		01/07/17 21:43	1

Client Sample ID: PbEVE06-A

Date Collected: 01/04/17 10:35

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-121

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.4		2.0	0.16	ug/L	—		01/07/17 21:45	1

Client Sample ID: PbEVE06-B

Date Collected: 01/04/17 10:36

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-122

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.4		2.0	0.16	ug/L	—		01/07/17 21:47	1

Client Sample ID: PbEVE07-A

Date Collected: 01/04/17 10:36

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-123

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.2		2.0	0.16	ug/L	—		01/07/17 21:49	1

Client Sample ID: PbEVE07-B

Date Collected: 01/04/17 10:36

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-124

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.4		2.0	0.16	ug/L	—		01/08/17 17:03	1

Client Sample ID: PbEVE08-A

Date Collected: 01/04/17 10:37

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-125

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	10.0		2.0	0.16	ug/L	—	01/08/17 21:45	01/10/17 04:17	1

Client Sample ID: PbEVE08-B

Date Collected: 01/04/17 10:37

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-126

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.4		2.0	0.16	ug/L	—		01/07/17 21:53	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE09-A

Date Collected: 01/04/17 10:38

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-127

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	20.1		2.0	0.16	ug/L	—		01/07/17 21:55	1

Client Sample ID: PbEVE09-B

Date Collected: 01/04/17 10:38

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-128

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.0		2.0	0.16	ug/L	—		01/07/17 21:57	1

Client Sample ID: PbEVE10-A

Date Collected: 01/04/17 10:38

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-129

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.4		2.0	0.16	ug/L	—		01/07/17 21:59	1

Client Sample ID: PbEVE10-B

Date Collected: 01/04/17 10:38

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-130

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.9		2.0	0.16	ug/L	—		01/07/17 22:04	1

Client Sample ID: PbEVE11-A

Date Collected: 01/04/17 10:40

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-131

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.4		2.0	0.16	ug/L	—		01/08/17 17:05	1

Client Sample ID: PbEVE11-B

Date Collected: 01/04/17 10:40

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-132

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.1		2.0	0.16	ug/L	—		01/07/17 22:08	1

Client Sample ID: PbEVE12-A

Date Collected: 01/04/17 10:41

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-133

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	6.3		2.0	0.16	ug/L	—		01/07/17 22:10	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE12-B

Date Collected: 01/04/17 10:41

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-134

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.2		2.0	0.16	ug/L		01/08/17 21:45	01/10/17 04:20	1

Client Sample ID: PbEVE13-A

Date Collected: 01/04/17 10:42

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-135

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.8		2.0	0.16	ug/L		01/08/17 21:45	01/10/17 04:23	1

Client Sample ID: PbEVE13-B

Date Collected: 01/04/17 10:42

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-136

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.2		2.0	0.16	ug/L		01/08/17 21:45	01/10/17 04:26	1

Client Sample ID: PbEVE14-A

Date Collected: 01/04/17 09:33

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-137

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.1		2.0	0.16	ug/L			01/07/17 22:12	1

Client Sample ID: PbEVE14-B

Date Collected: 01/04/17 09:34

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-138

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.9		2.0	0.16	ug/L			01/07/17 22:14	1

Client Sample ID: PbEVE15-A

Date Collected: 01/04/17 09:35

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-139

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	22.6		2.0	0.16	ug/L			01/07/17 22:15	1

Client Sample ID: PbEVE15-B

Date Collected: 01/04/17 09:36

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-140

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.3		2.0	0.16	ug/L			01/08/17 15:13	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE16-A

Date Collected: 01/04/17 09:36

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-141

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.3		2.0	0.16	ug/L	—		01/08/17 15:17	1

Client Sample ID: PbEVE16-B

Date Collected: 01/04/17 09:37

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-142

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.2		2.0	0.16	ug/L	—		01/08/17 15:19	1

Client Sample ID: PbEVE17-A

Date Collected: 01/04/17 09:38

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-143

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.5		2.0	0.16	ug/L	—		01/08/17 15:24	1

Client Sample ID: PbEVE17-B

Date Collected: 01/04/17 09:38

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-144

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.3		2.0	0.16	ug/L	—		01/08/17 15:26	1

Client Sample ID: PbEVE18-A

Date Collected: 01/04/17 09:39

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-145

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	48.9		2.0	0.16	ug/L	—		01/08/17 15:28	1

Client Sample ID: PbEVE18-B

Date Collected: 01/04/17 09:40

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-146

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.7		2.0	0.16	ug/L	—		01/08/17 15:30	1

Client Sample ID: PbEVE19-A

Date Collected: 01/04/17 09:40

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-147

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.3		2.0	0.16	ug/L	—		01/08/17 15:32	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE19-B

Date Collected: 01/04/17 09:41

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-148

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.1		2.0	0.16	ug/L	—		01/08/17 15:34	1

Client Sample ID: PbEVE20-A

Date Collected: 01/04/17 09:41

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-149

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.9		2.0	0.16	ug/L	—		01/08/17 15:36	1

Client Sample ID: PbEVE20-B

Date Collected: 01/04/17 09:40

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-150

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.7		2.0	0.16	ug/L	—		01/08/17 15:38	1

Client Sample ID: PbEVE21-A

Date Collected: 01/04/17 09:42

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-151

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	42.9		2.0	0.16	ug/L	—		01/08/17 15:40	1

Client Sample ID: PbEVE21-B

Date Collected: 01/04/17 09:43

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-152

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.4		2.0	0.16	ug/L	—		01/08/17 15:42	1

Client Sample ID: PbEVE22-A

Date Collected: 01/04/17 09:44

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-153

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	15.8		2.0	0.16	ug/L	—		01/08/17 15:47	1

Client Sample ID: PbEVE22-B

Date Collected: 01/04/17 09:45

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-154

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	13.3		2.0	0.16	ug/L	—		01/08/17 15:49	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE23-A

Date Collected: 01/04/17 09:45

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-155

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	35.5		2.0	0.16	ug/L	—		01/08/17 15:51	1

Client Sample ID: PbEVE23-B

Date Collected: 01/04/17 09:46

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-156

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.8		2.0	0.16	ug/L	—		01/08/17 15:53	1

Client Sample ID: PbEVE24-A

Date Collected: 01/04/17 09:46

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-157

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.4		2.0	0.16	ug/L	—		01/08/17 15:55	1

Client Sample ID: PbEVE24-B

Date Collected: 01/04/17 09:47

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-158

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.1		2.0	0.16	ug/L	—		01/08/17 15:57	1

Client Sample ID: PbEVE25-A

Date Collected: 01/04/17 09:48

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-159

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	10.6		2.0	0.16	ug/L	—		01/08/17 15:59	1

Client Sample ID: PbEVE25-B

Date Collected: 01/04/17 09:48

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-160

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.4		2.0	0.16	ug/L	—		01/08/17 16:19	1

Client Sample ID: PbEVE26-A

Date Collected: 01/04/17 09:49

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-161

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	27.8		2.0	0.16	ug/L	—		01/08/17 16:23	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE26-B

Lab Sample ID: 460-126350-162

Date Collected: 01/04/17 09:50

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.3		2.0	0.16	ug/L			01/08/17 16:25	1

Client Sample ID: PbEVE27-A

Lab Sample ID: 460-126350-163

Date Collected: 01/04/17 09:18

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	12.2		2.0	0.16	ug/L			01/08/17 16:30	1

Client Sample ID: PbEVE27-B

Lab Sample ID: 460-126350-164

Date Collected: 01/04/17 09:19

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.1		2.0	0.16	ug/L			01/08/17 16:32	1

Client Sample ID: PbEVE28-A

Lab Sample ID: 460-126350-165

Date Collected: 01/04/17 09:19

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.6		2.0	0.16	ug/L			01/08/17 16:34	1

Client Sample ID: PbEVE28-B

Lab Sample ID: 460-126350-166

Date Collected: 01/04/17 09:20

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.0		2.0	0.16	ug/L			01/08/17 16:36	1

Client Sample ID: PbEVE29-A

Lab Sample ID: 460-126350-167

Date Collected: 01/04/17 09:21

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	16.5		2.0	0.16	ug/L			01/08/17 16:38	1

Client Sample ID: PbEVE29-B

Lab Sample ID: 460-126350-168

Date Collected: 01/04/17 09:22

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.9		2.0	0.16	ug/L			01/08/17 16:40	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE30-A

Date Collected: 01/04/17 09:22

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-169

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	16.0		2.0	0.16	ug/L			01/08/17 16:42	1

Client Sample ID: PbEVE30-B

Date Collected: 01/04/17 09:23

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-170

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.6		2.0	0.16	ug/L			01/08/17 16:44	1

Client Sample ID: PbEVE31-A

Date Collected: 01/04/17 09:23

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-171

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	21.0		2.0	0.16	ug/L			01/08/17 16:46	1

Client Sample ID: PbEVE31-B

Date Collected: 01/04/17 09:23

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-172

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.4		2.0	0.16	ug/L			01/08/17 16:48	1

Client Sample ID: PbEVE32-A

Date Collected: 01/04/17 09:24

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-173

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	10.8		2.0	0.16	ug/L			01/08/17 16:53	1

Client Sample ID: PbEVE32-B

Date Collected: 01/04/17 09:25

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-174

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	11.1		2.0	0.16	ug/L			01/08/17 16:55	1

Client Sample ID: PbEVE33-A

Date Collected: 01/04/17 09:26

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-175

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	6.7		2.0	0.16	ug/L			01/08/17 16:57	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE33-B

Lab Sample ID: 460-126350-176

Date Collected: 01/04/17 09:27

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.7		2.0	0.16	ug/L			01/08/17 16:59	1

Client Sample ID: PbEVE34-A

Lab Sample ID: 460-126350-177

Date Collected: 01/04/17 09:27

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	32.7		2.0	0.16	ug/L			01/08/17 17:01	1

Client Sample ID: PbEVE34-B

Lab Sample ID: 460-126350-178

Date Collected: 01/04/17 09:28

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.2		2.0	0.16	ug/L			01/08/17 17:29	1

Client Sample ID: PbEVE35-A

Lab Sample ID: 460-126350-179

Date Collected: 01/04/17 09:29

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	68.1		2.0	0.16	ug/L			01/08/17 17:33	1

Client Sample ID: PbEVE35-B

Lab Sample ID: 460-126350-180

Date Collected: 01/04/17 09:29

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.7		2.0	0.16	ug/L			01/08/17 17:35	1

Client Sample ID: PbEVE36-A

Lab Sample ID: 460-126350-181

Date Collected: 01/04/17 09:30

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.5		2.0	0.16	ug/L			01/08/17 17:40	1

Client Sample ID: PbEVE36-B

Lab Sample ID: 460-126350-182

Date Collected: 01/04/17 09:31

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.2		2.0	0.16	ug/L			01/08/17 17:42	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE37-A

Lab Sample ID: 460-126350-183

Date Collected: 01/04/17 10:18

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.2		2.0	0.16	ug/L			01/08/17 17:44	1

Client Sample ID: PbEVE37-B

Lab Sample ID: 460-126350-184

Date Collected: 01/04/17 10:19

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.6		2.0	0.16	ug/L			01/08/17 17:46	1

Client Sample ID: PbEVE38-A

Lab Sample ID: 460-126350-185

Date Collected: 01/04/17 10:19

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	15.3		2.0	0.16	ug/L			01/08/17 17:48	1

Client Sample ID: PbEVE38-B

Lab Sample ID: 460-126350-186

Date Collected: 01/04/17 10:20

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.2		2.0	0.16	ug/L			01/08/17 17:50	1

Client Sample ID: PbEVE39-A

Lab Sample ID: 460-126350-187

Date Collected: 01/04/17 10:20

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	11.2		2.0	0.16	ug/L			01/08/17 17:52	1

Client Sample ID: PbEVE39-B

Lab Sample ID: 460-126350-188

Date Collected: 01/04/17 10:21

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.6		2.0	0.16	ug/L			01/08/17 17:54	1

Client Sample ID: PbEVE40-A

Lab Sample ID: 460-126350-189

Date Collected: 01/04/17 10:22

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.1		2.0	0.16	ug/L			01/08/17 17:56	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE40-B

Date Collected: 01/04/17 10:22

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-190

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.0		2.0	0.16	ug/L			01/08/17 17:58	1

Client Sample ID: PbEVE41-A

Date Collected: 01/04/17 10:23

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-191

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	6.8		2.0	0.16	ug/L			01/08/17 18:03	1

Client Sample ID: PbEVE41-B

Date Collected: 01/04/17 10:24

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-192

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.8		2.0	0.16	ug/L			01/08/17 18:05	1

Client Sample ID: PbEVE42-A

Date Collected: 01/04/17 10:10

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-193

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.4		2.0	0.16	ug/L			01/08/17 18:07	1

Client Sample ID: PbEVE42-B

Date Collected: 01/04/17 10:11

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-194

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.9		2.0	0.16	ug/L			01/08/17 18:09	1

Client Sample ID: PbEVE43-A

Date Collected: 01/04/17 10:12

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-195

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.4		2.0	0.16	ug/L			01/08/17 18:11	1

Client Sample ID: PbEVE43-B

Date Collected: 01/04/17 10:13

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-196

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.3		2.0	0.16	ug/L			01/08/17 18:13	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE44-A

Date Collected: 01/04/17 10:13

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-197

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.6		2.0	0.16	ug/L			01/08/17 18:15	1

Client Sample ID: PbEVE44-B

Date Collected: 01/04/17 10:13

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-198

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.9	J	2.0	0.16	ug/L			01/08/17 19:11	1

Client Sample ID: PbEVE45-A

Date Collected: 01/04/17 10:14

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-199

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.5		2.0	0.16	ug/L			01/08/17 19:18	1

Client Sample ID: PbEVE45-B

Date Collected: 01/04/17 10:15

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-200

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.6	J	2.0	0.16	ug/L			01/08/17 19:20	1

Client Sample ID: PbEVE46-A

Date Collected: 01/04/17 10:15

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-201

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.6		2.0	0.16	ug/L			01/08/17 19:22	1

Client Sample ID: PbEVE46-B

Date Collected: 01/04/17 10:16

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-202

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.9	J	2.0	0.16	ug/L			01/08/17 19:24	1

Client Sample ID: PbEVE47-A

Date Collected: 01/04/17 09:01

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-203

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	17.4		2.0	0.16	ug/L			01/08/17 19:26	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE47-B

Date Collected: 01/04/17 09:02

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-204

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.2		2.0	0.16	ug/L	—		01/08/17 19:28	1

Client Sample ID: PbEVE48-A

Date Collected: 01/04/17 09:04

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-205

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	15.1		2.0	0.16	ug/L	—		01/08/17 22:22	1

Client Sample ID: PbEVE48-B

Date Collected: 01/04/17 09:05

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-206

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.4		2.0	0.16	ug/L	—		01/08/17 21:16	1

Client Sample ID: PbEVE49-A

Date Collected: 01/04/17 09:06

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-207

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	8.7		2.0	0.16	ug/L	—	01/08/17 21:45	01/10/17 04:29	1

Client Sample ID: PbEVE49-B

Date Collected: 01/04/17 09:07

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-208

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.4	J	2.0	0.16	ug/L	—		01/08/17 19:30	1

Client Sample ID: PbEVE50-A

Date Collected: 01/04/17 09:07

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-209

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	16.4		2.0	0.16	ug/L	—		01/08/17 19:31	1

Client Sample ID: PbEVE50-B

Date Collected: 01/04/17 09:08

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-210

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.2		2.0	0.16	ug/L	—		01/09/17 11:52	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE51-A

Lab Sample ID: 460-126350-211

Date Collected: 01/04/17 09:08

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	15.4		2.0	0.16	ug/L	—		01/09/17 11:59	1

Client Sample ID: PbEVE51-B

Lab Sample ID: 460-126350-212

Date Collected: 01/04/17 09:09

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.5		2.0	0.16	ug/L	—		01/09/17 12:01	1

Client Sample ID: PbEVE52-A

Lab Sample ID: 460-126350-213

Date Collected: 01/04/17 09:09

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	14.6		2.0	0.16	ug/L	—	01/11/17 08:18	01/12/17 13:06	1

Client Sample ID: PbEVE52-B

Lab Sample ID: 460-126350-214

Date Collected: 01/04/17 09:10

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	25.1		2.0	0.16	ug/L	—		01/08/17 20:14	1

Client Sample ID: PbEVE53-A

Lab Sample ID: 460-126350-215

Date Collected: 01/04/17 09:10

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	11.2		2.0	0.16	ug/L	—		01/08/17 20:16	1

Client Sample ID: PbEVE53-B

Lab Sample ID: 460-126350-216

Date Collected: 01/04/17 09:11

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.8		2.0	0.16	ug/L	—		01/08/17 20:22	1

Client Sample ID: PbEVE54-A

Lab Sample ID: 460-126350-217

Date Collected: 01/04/17 09:12

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	12.9		2.0	0.16	ug/L	—		01/08/17 20:24	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE54-B

Date Collected: 01/04/17 09:13

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-218

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.3		2.0	0.16	ug/L			01/08/17 20:25	1

Client Sample ID: PbEVE55-A

Date Collected: 01/04/17 09:13

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-219

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	9.9		2.0	0.16	ug/L			01/08/17 20:27	1

Client Sample ID: PbEVE55-B

Date Collected: 01/04/17 09:14

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-220

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.2	J	2.0	0.16	ug/L			01/08/17 20:29	1

Client Sample ID: PbEVE56-A

Date Collected: 01/04/17 09:15

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-221

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	857		2.0	0.16	ug/L			01/08/17 20:31	1

Client Sample ID: PbEVE56-B

Date Collected: 01/04/17 09:15

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-222

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	31.3		2.0	0.16	ug/L			01/08/17 20:33	1

Client Sample ID: PbEVE57-A

Date Collected: 01/04/17 00:00

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-223

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	45.2		2.0	0.16	ug/L			01/08/17 20:35	1

Client Sample ID: PbEVE57-B

Date Collected: 01/04/17 00:00

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-224

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	8.9		2.0	0.16	ug/L			01/08/17 20:37	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE58-A

Date Collected: 01/04/17 10:01

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-225

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.3		2.0	0.16	ug/L			01/08/17 20:39	1

Client Sample ID: PbEVE58-B

Date Collected: 01/04/17 10:01

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-226

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.6		2.0	0.16	ug/L			01/08/17 20:45	1

Client Sample ID: PbEVE59-A

Date Collected: 01/04/17 10:02

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-227

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.4		2.0	0.16	ug/L			01/08/17 20:46	1

Client Sample ID: PbEVE59-B

Date Collected: 01/04/17 10:03

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-228

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.5		2.0	0.16	ug/L			01/08/17 20:48	1

Client Sample ID: PbEVE60-A

Date Collected: 01/04/17 10:04

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-229

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.0		2.0	0.16	ug/L			01/08/17 20:50	1

Client Sample ID: PbEVE60-B

Date Collected: 01/04/17 10:05

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-230

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.4	J	2.0	0.16	ug/L			01/08/17 20:52	1

Client Sample ID: PbEVE61-A

Date Collected: 01/04/17 10:05

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-231

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	19.3		2.0	0.16	ug/L			01/08/17 20:54	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE61-B

Lab Sample ID: 460-126350-232

Date Collected: 01/04/17 10:06

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.0		2.0	0.16	ug/L			01/08/17 20:56	1

Client Sample ID: PbEVE62-A

Lab Sample ID: 460-126350-233

Date Collected: 01/04/17 10:07

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	144		2.0	0.16	ug/L			01/09/17 12:05	1

Client Sample ID: PbEVE62-B

Lab Sample ID: 460-126350-234

Date Collected: 01/04/17 10:08

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.0		2.0	0.16	ug/L			01/08/17 21:20	1

Client Sample ID: PbEVE63-A

Lab Sample ID: 460-126350-235

Date Collected: 01/04/17 09:53

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	21.9		2.0	0.16	ug/L			01/08/17 21:22	1

Client Sample ID: PbEVE63-B

Lab Sample ID: 460-126350-236

Date Collected: 01/04/17 09:54

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	6.5		2.0	0.16	ug/L		01/11/17 08:18	01/12/17 13:14	1

Client Sample ID: PbEVE64-A

Lab Sample ID: 460-126350-237

Date Collected: 01/04/17 09:55

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.6		2.0	0.16	ug/L			01/08/17 21:30	1

Client Sample ID: PbEVE64-B

Lab Sample ID: 460-126350-238

Date Collected: 01/04/17 09:56

Matrix: Water

Date Received: 01/04/17 19:00

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.2		2.0	0.16	ug/L			01/08/17 21:31	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE65-A

Date Collected: 01/04/17 09:57

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-239

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	20.6		2.0	0.16	ug/L			01/08/17 21:33	1

Client Sample ID: PbEVE65-B

Date Collected: 01/04/17 09:57

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-240

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.1	J	2.0	0.16	ug/L			01/09/17 12:07	1

Client Sample ID: PbEVE66-A

Date Collected: 01/04/17 09:58

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-241

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.3		2.0	0.16	ug/L		01/11/17 08:18	01/12/17 13:00	1

Client Sample ID: PbEVE66-B

Date Collected: 01/04/17 09:59

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-242

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.77	J	2.0	0.16	ug/L			01/08/17 21:39	1

Client Sample ID: PbEVE67-A

Date Collected: 01/04/17 10:00

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-243

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	11.1		2.0	0.16	ug/L			01/08/17 21:41	1

Client Sample ID: PbEVE67-B

Date Collected: 01/04/17 10:01

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-244

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.1		2.0	0.16	ug/L			01/08/17 21:43	1

Client Sample ID: PbEVE68-A

Date Collected: 01/04/17 10:48

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-245

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	44.7		2.0	0.16	ug/L			01/08/17 21:45	1

Client Sample Results

Client: Pennoni Associates, Inc.
Project/Site: Rowan Univ. RCFM1614

TestAmerica Job ID: 460-126350-1

Client Sample ID: PbEVE68-B

Date Collected: 01/04/17 10:49

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-246

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.6		2.0	0.16	ug/L	—		01/08/17 21:50	1

Client Sample ID: PbEVE69-A

Date Collected: 01/04/17 10:50

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-247

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	9.2		2.0	0.16	ug/L	—	01/11/17 08:18	01/12/17 13:17	1

Client Sample ID: PbEVE69-B

Date Collected: 01/04/17 10:50

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-248

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	12.9		2.0	0.16	ug/L	—		01/08/17 21:54	1

Client Sample ID: PbEVE70-A

Date Collected: 01/04/17 10:51

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-249

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	37.8		2.0	0.16	ug/L	—		01/08/17 21:56	1

Client Sample ID: PbEVE70-B

Date Collected: 01/04/17 10:51

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-250

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	12.2		2.0	0.16	ug/L	—		01/08/17 21:58	1

Client Sample ID: PbEVE71-A

Date Collected: 01/04/17 10:46

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-251

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	41.3		2.0	0.16	ug/L	—	01/11/17 08:18	01/12/17 13:20	1

Client Sample ID: PbEVE71-B

Date Collected: 01/04/17 10:47

Date Received: 01/04/17 19:00

Lab Sample ID: 460-126350-252

Matrix: Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.6		2.0	0.16	ug/L	—		01/08/17 22:02	1